

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	78	(open near3 copy near3 protection near3 system) or (secure same (proximity or distance) same (verify or verificat\$4) same (node or computer or device) same (network or (communication system)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 09:48
S2	1406	713/171	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 09:51
S3	1343	713/170	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 09:51
S4	3531	713/168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 09:51
S5	1638	713/156	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 09:51
S6	522	713/178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 09:51
S7	662	713/181	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 09:51

S8	7503	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 09:51
S9	21952	(open near3 copy near3 protection near3 system) or (secure same (proximity or distance) same (verify or verificat\$4) same (node or computer or device) same (network or (communication system))) or ((determin \$3 or evaluat\$3 or approximat\$3) same (proximity or closeness or distance or location) same (((host or source or server) or (target or destination or client)) near3 (node or device or computer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:02
S11	78	(open near3 copy near3 protection near3 system) or (secure same (proximity or distance) same (verify or verificat\$4) same (node or computer or device) same (network or (communication system))) or (((determin\$3 or evaluat\$3 or approximat\$3) same (proximity or closeness or distance or location) same (((host or source or server) or (target or destination or client)) near3 (node or device or computer))) and (open near3 copy near3 protection near3 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:06

S12	30	S9 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:09
S13	18	S9 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:09
S14	84	S9 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:09
S15	34	S9 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:09
S16	10	S9 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:09
S17	7	S9 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:09
S18	354	S9 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:10
S19	78	S9 and S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:10

S20	21888	((determin\$3 or evaluat\$3 or approximat\$3) same (proximity or closeness or distance or location) same (((host or source or server) or (target or destination or client)) near3 (node or device or computer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:14
S21	7897	((determin\$3 or evaluat\$3 or approximat\$3) same (proximity or closeness or distance) same (((host or source or server) or (target or destination or client)) near3 (node or device or computer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:15
S22	7962	(open near3 copy near3 protection near3 system) or (secure same (proximity or distance) same (verify or verificat\$4) same (node or computer or device) same (network or (communication system))) or ((determin\$3 or evaluat\$3 or approximat\$3) same (proximity or closeness or distance) same (((host or source or server) or (target or destination or client)) near3 (node or device or computer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:15
S23	6	S22 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:16
S24	5	S22 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:16

S25	11	S22 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:16
S26	6	S22 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:16
S27	1	S22 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:16
S28	2	S22 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:16
S29	107	S22 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:16
S32	50	((determin\$3 or evaluat\$3 or approximat\$3) same (proximity or closeness or distance) same (response near3 time) same (((host or source or server) or (target or destination or client)) near3 (node or device or computer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:36
S33	11	(open near3 copy near3 protection near3 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:51

S34	74	(ocps near3 protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:52
S35	414	(response near3 time) same ((route near3 trace) or (traceroute) or hops)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:56
S36	29	S21 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 10:57
S37	7681	measur\$3 same network same distance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 11:01
S38	744	measur\$3 same node same network same distance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 11:02
S39	122	S22 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 11:02
S42	65	network same node same proximity same determination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 11:37
S43	4340	713/176	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 15:54

S44	7962	(open near3 copy near3 protection near3 system) or (secure same (proximity or distance) same (verify or verificat\$4) same (node or computer or device) same (network or (communication system))) or ((determin \$3 or evaluat\$3 or approximat\$3) same (proximity or closeness or distance) same (((host or source or server) or (target or destination or client)) near3 (node or device or computer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 15:55
S45	12	S43 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 15:55
S46	21952	(open near3 copy near3 protection near3 system) or (secure same (proximity or distance) same (verify or verificat\$4) same (node or computer or device) same (network or (communication system))) or ((determin \$3 or evaluat\$3 or approximat\$3) same (proximity or closeness or distance or location) same (((host or source or server) or (target or destination or client)) near3 (node or device or computer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 16:04

S47	21888	((determin\$3 or evaluat\$3 or approximat\$3) same (proximity or closeness or distance or location) same (((host or source or server) or (target or destination or client)) near3 (node or device or computer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 16:04
S48	21888	S47 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/14 16:04
S51	9	"6804624"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 07:12
S52	313328	((determin\$3 or evaluat\$3 or approximat\$3) same (proximity or closeness or distance) same (((host or source or server) or (target or destination or client)) or (node or device or computer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:04
S53	1411	713/171	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:04
S54	23	S52 and S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:04
S56	1349	713/170	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:04



S57	30	S52 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:04
S58	3551	713/168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:05
S59	89	S52 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:05
S60	1645	713/156	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:05
S61	22	S52 and S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:05
S62	524	713/178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:05
S63	10	S52 and S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:05
S64	663	713/181	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:05

S65	8	S52 and S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:05
S66	7536	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:05
S67	440	S52 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:05
S68	71852	((determin\$3 or evaluat\$3 or approximat\$3) near3 (proximity or closeness or distance) same (((host or source or server) or (target or destination or client)) or (node or device or computer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:11
S69	20959	((determin\$3 or evaluat\$3 or approximat\$3) near3 (proximity or closeness or distance) near5 (((host or source or server) or (target or destination or client)) or (node or device or computer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 08:11
S72	91	(two near3 factor) same authenticat\$3 same (node or computer or device) same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/15 10:48

4/16/2008 1:53:41 PM

C:\Documents and Settings\iokeke\My Documents\EAST\Workspaces\Working Folder.wsp